


Parts Catalog TUFFY® Tiller

Model

12156



HANDLEBARS, FORWARD CLUTCH CABLE, AND HANDLEBAR MOUNTING HARDWARE




HANDLEBARS, FORWARD CLUTCH CABLE, AND HANDLEBAR MOUNTING HARDWARE

REF No.	PART No.	DESCRIPTION	QTY.	REF No.	ı
1	1901271	Handlebar, Upper –(incl. Decal		14	983
		1900765)	1	15	990
2	1900765	Decal - Forward Clutch Bail	1	16	11(
3	9854	Bolt-Curv. Head, 5/16-18 x 1-1/2	6	17	190
4	1100806	Bolt-Hex Head 1/4-20 x 1-1/4	1	18	980
5	55044	Bracket, Cable		19	190
6	1901355021	Bail - Forward Clutch	1	20	938
7	9855	Screw, 10-24 x 2	1	21	988
8	55047	Spring-Forward Clutch	1	22	955
9	9912	Lockwasher-5/16	6		
10	9801	Nut-Hex Head, 5/16-18	6	23	190
11	9811	Nut-Hex Head, Lock, 1/4-20	1	24	190
12	55048	Cable Assy-Forward Clutch	1		
13	1100068	Bolt-Hex Head, 3/8-16 x 3/4	2		

	REF No.	PART No.	DESCRIPTION	QTY.
	14	9837	Locknut-Hex, 3/8-16	2
	15	9904	Washer-Flat, 3/8	2
	16	1100044	Bolt-Hex Head, 5/16-18 x 3/4	2
	17	1902173021	Support, Handlebar	2
	18	9808	Locknut-Hex, 5/16-18	2
	19	1902174021	Handlebar, Lower	1
	20	9386	Klip Ring	1
	21	9856	Clevis Pin	1
	22	9552	Screw-1/4-20 x 1/2 Self-Tapping	
i			Hex Head	4
	23	1901273021	Graphics Panel	1
	24	1901180	Decal-Bolens Tuffy (model name	
			& logo)	1
	ı			


DRIVE SHAFT ASSEMBLY



REF No.	PART No.	DESCRIPTION	QTY.
1	9655	Bolt-Hex Head, 5/16-24 x 3/4, Grade 5	1
2	9944	Washer-Belleville	1
3	55031		1
		Pulley-Transmission	•
4	9301	Key-Transmission Pullley, 3/16 x 1	1
5	50027	Support Washer-Front	1
6	9517	Snap Ring	1
7	1714	Bearing-Tapered Roller with race	2
8	50043	Support Washer-Rear	1
9	1904281	Driveshaft Assembly	1
10	1224-1	Shim-Rear Bearing Cap,	
	10010	.010 thick	A/R
	1224-2	Shim-Same as above except	
		.030 thick	A/R
	1224-3	Shim-Same as above except	
		.005 thick	A/R
	1224-4	Shim-Same as above except	
		.062 thick	A/R
	1325C	Shim Set-Includes the following	
		shims: two #1224-1, two 1224-2	
		one 1224-3, and one #1224-4	A/R

A/R - As Required


WHEEL SHAFT & TILLER SHAFT ASSEMBLIES



REF No.	PART No.	DESCRIPTION	1	REF No.	PART No.	DESCRIPTION	QTY.
1	9512	Retainer-Snap Ring, "E" Type	2	5	55004	Wheel Shaft	1
2	9511	Retainer-Snap Ring	4	6	9305	Key-Wheel Shaft, Hi Pro, 1/4 x 1	1
3	1166-1	Shim-0.062" Thick	A/R	7	1132-2	Spacer	4
	1166-2	Shim-0.030" Thick	A/R	8	1904278	Worm Gear-Wheel Shaft	1
	1166-3	Shim-0.015" Thick	A/R	9	1915074	Tiller Shaft	1
	1166-4	Shim-0.010" Thick	A/R	10	1104	Woodruff Kev-Tiller Shaft	1
	1166-5	Shim-0.005" Thick	A/R	11	1904279	Worm Gear-Tiller Shaft	1
4	1086	Bushing-Bronze	4				


A/R - As Required

TRANSMISSION HOUSING, COVERS, SEALS, GASKETS, AND PLUG



REF No.	PART No.	DESCRIPTION	QTY.	REF No.	PART No.	DESCRIPTION	QTY.
1	9467	Plug-Transmission Oil Fill/Check	1	8	9621	Oil Seal-Wheelshaft	2
2	90038	Bolt-Hex Head, Flange Lock, 5/16-		9	1915084021	Transmission Case, Rear Housing	
_		18 x 5/8, GR5	8			and Tube Assembly	1
3	97037	Gasket-Transmission Oil Fill/Check		10	97039	Oil Seal-Tine Shaft	2
		Plug	1	11	55011-1	Gasket-Bearing Cap (.010 thick)	1
5	1902185021	Cover-Transmission Housing			55011-2	Gasket-Bearing Cap (.030 thick)	1
		Front	1	12	55010	Cap-Rear Bearing	1
5A	1902186021	Cover-Transmission Housing, Rear	1	13	1186631	Bolt-Flanged Head, 5/16-18 x 1	2
6	50032	Gasket-Transmission Housing Cove	er	14	1100044	Bolt-Flanged Head, 5/16-18 x 3/4.	1
		(Front and Rear)	2	15	1100242	Lockwasher, 5/16"	1
7	9617	Oil Seal-Driveshaft	1	1		·	


ENGINE, ENGINE BRACKETS, AND FORWARD DRIVE MECHANISM



ENGINE, ENGINE BRACKETS, AND FORWARD DRIVE MECHANISM

REF	PART			REF	PART		
No.	No.	DESCRIPTION	QTY.	No.	No.	DESCRIPTION	QTY.
1	***	Engine-Tecumseh, recoil start	1	19	1902194021	Belt Guide	1
2	1902179021	Bracket, Belt Cover		20	9558	Bolt-Hex Head, 3/8-16 x 1-1/2	1
3	9912	Lockwasher-5/16	8	21	9090	Idler Pulley	1
4	1111696	Bolt-Hex Head, 5/16-24 x 1/2	2	22	55078	Idler Lever	
5	1904549	Decal-Warning, Hot Surfaces	1	23	9807	Locknut - 3/8-16	1
6	55086	Belt Cover-(includes decal		24	9902	Flat Washer	2
		1904549)	1	25	9386	Klip Ring	1
7	9552	Bolt-Flanged Head, Self-Tapping,		26	55037	V-Belt	
		1/4-20 x 1/2	7	27	55034	Spring, Return	1
8	9801	Nut-Hex, 5/16-18	4	28	55033	Bushing-Idler Lever	1
9	50027	Support Washer		29	9655	Bolt-Hex Head, 5/16-24 x 3/4,	
10	1902180021	Bracket, Engine Right				Grade 5	2
11	1138-2	Shim		30	9944	Washer, Belleville, Transmission	
12	55036	Spacer	1	i		Pulley	1
12A	9301	Key-3/16 x 1		31	55031	Pulley-Transmission	1
13	55035	Pulley, Engine Driven		32	1902183021	Bracket-Cable Mount	1
14	9925	Washer, Belleville		33	1900766	Decal-Stabilization	1
15	9549	Bolt-Hex Head, 3/8-24 x 1		34	90038	Bolt-5/16-18 x 5/8, Engine Bracket	
16	1902181021	Bracket, Engine, Left				to Transmission	4
17	1100799	Bolt-Hex Head, 5/16-18 x 1-1/2		35	9856	Clevis Pin-Control Cable	1
18	1902182021	Belt Pulley Guard		36	9904	Flat Washer, 3/8"	1


BOLO TINES, WHEELS




BOLO TINES, WHEELS

REF No.	PART No.	DESCRIPTION	QTY.	REF No.	PART No.	DESCRIPTION	QTY.
1	9711	Bolt-Hex Head, 3/8-16 x 1, Grade 5 Tine Mounting		6	1915075021	Tine Holder–for bolo tines, left and right sides	2
2	50049-01	Bolo Tine-Single, Right Hand tine used on left side of tiller. Includes mounting hardware: two #9711 bolts (Ref No.1), and two #17333			1901	Replacement Set of 16 Bolo Tines- including eight right hand tines, eight left hand tines; and all required assembly hardware	
		locknuts	8	1 7	55095-01	Wheel & Tire Ass'y-Left Side	1
3	1733398	Locknut-Hex, 3/8-16	18	8	55095-02	Wheel & Tire Ass'y-Right Side	1
4	9555	Bolt-Hex Head, 3/8-16 x 1-3/4 (tine		9	9380	Clevis Pin312 x 1-3/4, secures	•
		holder to tiller shaft)		1		wheel hub to wheel shaft	2
5	50049-02	Bolo Tine-Single, Left Hand tine used on right side of tiller. Include mounting hardware: two #9711 bolts (Ref No. 1), and two #17333 locknuts		10	9338	Hair Pin Cotter	2

IMPORTANT: Left and right sides of tiller are determined by standing in the operator position and facing the direction of forward travel.






REF No.	PART No.	DESCRIPTION	QTY.	REF No.	PART No.	DESCRIPTION	QTY.
	,						
1	9552	Bolt-Flanged Head, Self-Tapping,		9	9384	Spring-Depth Regulator	1
		1/4-20 x 1/2	2	10	9534	Spacer	1
2		Index No. 2 is not used		11	1100069	Bolt-Hex Head, 1/4-20 x 1	1
3	1901179	Decal-Hood (contains operating		12	9811	Locknut-Hex, 1/4-20	1
		and safety instructions)	1	13	1902176021	Bracket-Hood, Right Hand	1
4		Index No. 4 is not used		14	1902177021	Bracket-Hood, Left Hand	1
5	1901269	Tine Hood-(includes tine flap		15	9912	Lockwasher, 5/16	2
		and decal 1901179)	1	16	90045	Bolt-Flanged Head, 5/16-18 x 1	2
6	1100088	Bolt-Hex Head, 5/16-18 x 1/2	2	17	9801	Nut-Hex, 5/16-18	2
7	1186391	Nut-Flange Lock, 5/16-18	2	18	1100808	Bolt-Hex Head, 5/16-18 x 1-1/4	2
8	1902175021	Depth Regulator Lever	1	19	55088	Bushing-Drag Bar	2
A8	9308	Spirol Pin		20	1902178021	Drag Bar	

QTY.

ACCESSORIES


BUMPER & CARBURETOR GUARD ATTACHMENT (Part No. 12558) (Viewed from front of tiller)

REF No.	PART No.	DESCRIPTION	QTY.	REF No.	PART No.	DESCRIPTION
1	12560	Carburetor Guard	1	4	1111608	Bolt-Hex Head, 5/16-18 x 2-1/2
2	9801	Nut-Hex Head, 5/16-18	5	5	12561	Bumper
3	9912	Lockwasher-5/16	5	6	1100799	Bolt-Hex Head, 5/16-18 x 1-1/2



FRAME WEIGHT KIT (Part No. 55067)

REF No.	PART No.	DESCRIPTION	QTY.	REF No.	PART No.	DESCRIPTION	QTY.
1	55066P	Frame Weight	2	4	9800	Nut-1/4-20	2
2	1100806	Bolt-Hex Head, 1/4-20 x 1-1/4	2	5	9912	Lockwasher-5/16	2
3	1100799	Bolt-Hex Head, 5/16-18 x 1-1/2	2	6	9801	Nut-5/16-18	2



Parts Ordering Information

If you need service or parts:

For service assistance or parts, contact your local authorized dealer or the factory.

Your local dealer or service department will need to know the model/serial numbers of the unit to provide the most efficient service. See below for information on how to identify and record the identification numbers for the unit.

If you need engine service or parts:

For engine service or parts, contact your local authorized engine dealer. Look in the yellow pages of the phone book under "Engines-Gasoline" for the name of your nearest authorized engine dealer. An authorized engine dealer can handle all parts, repairs, and warranty service concerning the engine.

Note:

All BOLENS® replacement parts must conform to our rigid quality specifications. Although some replacement parts we provide may vary slightly in shape, color or texture from the original parts, any variations will not affect the fit or performance of these parts on your unit.

IMPORTANT:

Left and right sides of the unit are determined by standing behind the unit, in the operator's position, and facing in the direction of forward travel.

NOTICE:

We reserve the right to change specifications, add improvements or discontinue the manufacture of any of our equipment without notice or obligation to purchasers of our equipment.



WARNING

We urge using only genuine replacement parts which meet all the latest requirements. Replacement parts manufactured by others could present safety hazards, even though they may fit on the unit!

Identification Numbers

Record the Model/Serial Numbers here:

When ordering parts from us or your local servicing dealer, you will need to provide the unit's model/serial number. For your convenience and ready reference, record this information below.

Product Model/Serial Number	
Engine Model / Serial Spec. Numbers	
Date of Purchase	
Name of Dealer	

For customer assistance, contact your nearest authorized dealer or:

GARDEN WAY INCORPORATED • 1 Garden Way • Troy, New York 12180

Customer Service: 1-800-437-8686 • Technical Service: 1-800-520-5520 • Parts Service: 1-800-648-6776 • FAX: (518) 391-7332

Outside the United States and Canada:

Customer Service: (518) 391-7007 • Technical Service: (518) 391-7008 • Parts Service: (518) 391-7006 • FAX (518) 391-7332